



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/622,828	07/21/2003	Marlin Tillaart	US 1351/03	4787
7	590 01/10/2005		EXAM	INER
Law Office - Dinesh Agarwal, P.C.			NGUYEN, JIMMY T	
Suite 330			ADTIBUT	DADED MINORED
5350 Shawnee Road			ART UNIT	PAPER NUMBER
Alexandria, VA 22312			3725	

DATE MAILED: 01/10/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

8N

• • • • • • • • • • • • • • • • • • • •	Application No.	Applicant(s)			
	10/622,828	TILLAART, MARLIN			
Office Action Summary	Examiner	Art Unit			
	Jimmy T Nguyen	3725			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
<ol> <li>Responsive to communication(s) filed on 21 July 2003.</li> <li>This action is FINAL. 2b) ☐ This action is non-final.</li> <li>Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.</li> </ol>					
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-3 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1 and 2 is/are rejected.</li> <li>7)  Claim(s) 3 is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or election requirement.</li> </ul>					
Application Papers					
9) ☐ The specification is objected to by the Examiner.  10) ☑ The drawing(s) filed on 21 July 2003 is/are: a) ☐ accepted or b) ☑ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date 07/21/03.  Release and Testement Office.					

Application/Control Number: 10/622,828

Art Unit: 3725

## **DETAILED ACTION**

#### **Drawings**

The drawings filed on July 21, 2003 are acceptable subject to correction of the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing Review," PTO-948. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

#### Claim Objections

Claim 1 is objected to because of the following informalities:

Line 14, the word "fame" should be changed to --- frame ---.

Appropriate correction is required.

#### Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 1, lines 13-15, it is unclear whether "a tree trunk" as claimed is the same tree trunk as claimed in line 5. Clarification is required.

Application/Control Number: 10/622,828

Art Unit: 3725

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-2 are rejected under 35 U.S.C. 102(b) as being anticipated by Corley (US 1,150,999). Corley discloses an apparatus comprises:

-a base structure (10, 17); -

a general annular tubular frame comprises two hollow arcuate tube sections fixedly mounted in circular orientation at opposite sides of the base structure (fig. 6); means for selectively opening and closing a forward gap of the frame including:

- (i) an internal channel through the frame (21);
- (ii) a part-circular slider tube seated within the channel (22);
- (iii) means for rotating (23) the slider tube within the internal channel to an open and closed positions.

Note that the apparatus is capable of mounting to a support and the forward gap of the frame is capable of receiving a tree trunk.

# Allowable Subject Matter

Claim 3 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Art Unit: 3725

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art listed on the attached PTO 892 are cited to show various apparatus having a sliding element within an internal channel of an annular tubular frame.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy T Nguyen whose telephone number is (571) 272-4520. The examiner can normally be reached on Mon-Thur 8:00am - 6:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allen Ostrager can be reached on (571) 272- 4521. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

JTNguyen January 4, 2005

Lowell A. Larson
Primary Examiner